


FIRST MEMBRANE FLASHING PLY
FIRST CUT TARGET

2" (51mm) CUTS
TURN FINGERS
UP ONTO PIPE




2" (51mm)

VERTICAL BASE MEMBRANE
FLASHING WRAP SECOND CUT

2" (51mm) CUTS
TURN FINGERS
OUT ONTO FIELD
STAGGER CUTS
FROM FIRST
MEMBRANE CUTS

NOTES:

1. DETAIL TO BE USE IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.
2. SOPREMA ADHESIVES, CEMENTS, MASTICS, PRIMERS AND SEALANTS ARE REQUIRED WHERE INDICATED.

		310 QUADRAL DRIVE WADSWORTH, OHIO 44281 (330) 334-0066	
		TITLE FIELD FABRICATED VENT PIPE	
SCALE	DWN	CHK	APPROVAL DATE
NONE	DMT	PR	9/1/05
DRAWING NUMBER			REV
APN-003			0

** USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.