


SOPRADRAIN (RECOMMENDED) OR SOPREMA
APPROVED ALTERNATE




COLPHENE H 215 mils SYSTEM WITH REINFORCEMENT

APPROVED DRAIN ASSEMBLY WITH DEBRIS SCREEN AND WATERPROOFED DECK LEVEL CLAMPING RING

INSULATION & TOPPING SLAB

NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.
2. CLAMPING RING MUST BE INSTALLED WHILE MEMBRANE IS STILL HOT.
3. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS, APPLICATION METHODS AND APPROVED DETAILS.

| | | | |
|--|-----------|---|---------------------------|
|  | | 310 QUADRAL DRIVE | |
| | | WADSWORTH, OHIO 44281 (330) 334-0066 | |
| TITLE MULTI-STAGE (BI-LEVEL) DRAIN | | | |
| SCALE | DWN TM | CHK JP | APPROVAL DATE 12/29/09 |
| DRAWING NUMBER HRW-201A | | | REV 0 |

** USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.