

soprafix[®]



Superior Roofing System

SOPRAFIX

The System You **DEMAND.**

Building owners, roofing contractors and architects today expect more of roofing systems to beat the elements and deliver the best performance and value.

They want long lasting protection against weather, aging and physical abuse of building structures, maintenance traffic and falling objects.

They also look for technology that offers design flexibility, ease of installation, reduced time, materials and labor costs.

That's why more professionals today specify Soprafix – the roofing system that meets or exceeds all your criteria, including:

- **HIGH WIND SECURITY**
- **TOUGH AND LONG LASTING**
- **LOAD STRAIN PERFORMANCE**
- **NATURAL VENTILATING ACTION**
- **EASY, LOWER COST INSTALLATION**
- **LOWER LIFE CYCLE COSTS**





The **BIG** Difference.

What sets us apart is a century of experience as both manufacturer – and contractor – of roofing systems. As a leading contractor in Europe, **Soprema** has applied that practical knowledge to the design and manufacture of SBS Membrane Systems worldwide. It's the big reason why **Soprafix** is not only the world's toughest roofing system ... it's also one of the easiest to install.

SOPRAFIX Advantages.

It's a heavy duty, two-ply modified SBS membrane system with base sheets mechanically fastened to the deck and cap sheets fully bonded to the base sheets. **Soprafix** can be installed over most roofing types, including steel, wood, concrete or lightweight concrete. It can be installed in any climate with wide temperature ranges. Eliminates many materials and labor steps required by conventional roofing – to provide superior roofing jobs at less cost.

Built for **PERFORMANCE.**

Soprafix is a specially engineered membrane composed of SBS modified bitumen with a non-woven polyester reinforcement. It delivers 1000% more elasticity than conventional roofing materials, maintains flexibility in temperatures as low as -22°F (-30°C) and heat resistance up to 244°F (117.7°C). The membrane design also provides exceptional puncture, tear and fatigue resistance – with unmatched load strain performance.

BLACK

soprafix®

Advanced SBS Membrane System

Preferred By:

- Roofing Contractors
- Architects
- Building Owners

Worldwide!

Engineered for all types of roofing solutions from mechanically fastened and heat applied, to self-adhesive, and combinations that include **Alsan flashing and waterproofing**.


Contractors like the different **Soprafix** combinations that provide solutions to more job opportunities – from new construction to renovation and repair. With easy application on all types of roofs from the Artic to the Sahara. And everywhere in between.

For architects and building owners, **Soprafix** means better roofing jobs – faster.

Bottom line, **Soprafix** has become a world standard because it offers you:

- Lower Total Applied Cost
- More Choices In Roofing Solutions
- Environmentally Friendly Performance

Choice of Popular Colored Granules and Metallic Surfaces



GREEN

TAN

RED

BLUE

BROWN

GREY


ALUMINUM

COPPER

WHITE

SOPRAFIX Membrane Speed Fastener

Pre-assembled fastener and plate engineered for heavy-duty membrane attachment. Patented design assures every fastener is installed perpendicular to deck – cannot be driven at an angle. Provides positive depth stop, eliminates overdriven fasteners. *(Other Soprafix fastener designs available.)*



1 INSTALL THE BASE SHEET DRY

and in parallel courses. Fasten the membrane in accordance with FM approvals.



2 SEAL THE JOINTS

by heat welding or self-adhesive side lap technology.



3 INSTALL THE BASE FLASHING MEMBRANE

self-adhered or heat weld over primed substrate.



TRI-FIX® 3-Nail Fasteners

Designed for the heavy duty attachment of Soprafix-F membrane to lightweight insulating concrete and gypsum.



4 ADHERED CAP SHEET

onto base sheet by heat welding, cold adhesive or self-adhesive.



5 INSTALL THE CAP SHEET FLASHING MEMBRANE

in adhesive, heat welding or self-adhesive.





UNITED STATES

SOPREMA INC. • 310 Quadral Drive • Wadsworth, Ohio 44281

Tel.: 330-334-0066 • 800-356-3521 • Fax: 330-334-4289

© Copyright Soprema, Inc., 2003

® Registered Trademark of Soprema, Inc.

www.sopremaworld.com

