


NOTES:

1. DETAIL TO BE USED IN CONJUNCTION WITH SOPREMA GENERAL REQUIREMENTS AND APPROVED DETAILS.
2. CONSTRUCT OTHER ROOF COMPONENTS ACCORDING TO PROJECT SPECIFICATIONS AND CURRENT RECOMMENDATIONS FROM FMA, SMACNA, NRCA AND UNDERWRITER'S LABORATORIES.
3. PERIMETER DEFINITION: $X=4/10$ OF BUILDING HEIGHT OR $1/10$ THE BUILDING WIDTH, WHICHEVER IS THE LESSER DIMENSION, WITH A MINIMUM 1-1/2 PERIMETER ROLLS ON PROJECTS WITH WIND EQUAL TO OR LESS THAN 63 MPH. THE NUMBER OF PERIMETER ROLLS AND FASTENER DENSITIES WILL INCREASE WHEN SPECIAL WIND WARRANTY RIDERS ARE APPROVED.

		310 QUADRAL DRIVE WADSWORTH, OHIO 44281 (330) 334-0066	
		TITLE UNILAY FMA 1-165 FASTENING SYSTEM	
SCALE	DWN DMT	CHK PR	APPROVAL DATE 5/1/05
DRAWING NUMBER ULMA-004			REV 0

** USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR SOPREMA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING.